



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/090,507	03/04/2002	John V. Sell	1001-0180	6003
22120	7590	03/25/2004	EXAMINER	
ZAGORIN O'BRIEN & GRAHAM, L.L.P. 7600B N. CAPITAL OF TEXAS HWY. SUITE 350 AUSTIN, TX 78731			PAPPAS, PETER	
			ART UNIT	PAPER NUMBER
			2671	

DATE MAILED: 03/25/2004

3

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/090,507

Applicant(s)

SELL, JOHN V.

Examiner

Peter-Anthony Pappas

Art Unit

2671

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 04 March 2002.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-27 and 32 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☒ Claim(s) 28-31 is/are allowed.
- 6) ☒ Claim(s) 1-27 and 32 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 04 March 2002 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| Paper No(s)/Mail Date <u>2</u> . | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Allowable Subject Matter

1. Claims 28-31 are allowed.
2. In regards to claim 28 the prior art of record does not disclose or suggest at least one of the entries of the hierarchical image depth buffer including multiple near and far values.
3. In regards to claim 29 the prior art of record does not disclose or suggest each of the entries of the hierarchical image depth buffer including at least two pairs of near and far values.
4. In regards to claim 30 the prior art of record does not disclose or suggest each of the entries of the hierarchical image depth buffer including at least one pair of near and far values and at least one un-paired near value.
5. In regards to claim 31 the prior art of record does not disclose or suggest each of the entries of the hierarchical image depth buffer including at least one pair of near and far values and at least one non-paired near value.
6. Claim 22 is objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Claim Rejections - 35 USC § 112

7. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

8. Claim 17 rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

9. Claim 17 recites the limitation "the step of updating a status of the flag" on page 38. There is insufficient antecedent basis for this limitation in the claim. It is noted that said claim limitation is considered to read "a step of updating a status of the flag."

Claim Rejections - 35 USC § 102

10. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

11. Claims 1-2, 5-8, 10-15, 18-19, 21, 23-24 and 32 are rejected under 35 U.S.C. 102(b) as being anticipated by Greene et al. (U.S. Patent No. 5, 579, 455).

12. In regards to claim 1 Greene et al. teaches a computer system (computer graphics processing system), including a CPU 120, memory 104 and graphics coprocessor 110, wherein said graphics coprocessor 110 can offload from the CPU 102 many of the memory-intensive tasks required for manipulating the graphics data in memory 104 (column 8, lines 22-47; Fig. 1).

A display buffer (image depth buffer), which can be stored in memory 104, comprises of memory elements 302, wherein each display cell element contains a display cell value which represents an attribute of the appearance of the respective

display cell (column 9, lines 12-19). Each of the said display cells has attributes associated with it such as color and a depth value (column 9, lines 1-5).

Greene et al. teaches that the basic idea of the Z-pyramid is to use a conventional depth buffer (Z-buffer) as the finest level in the pyramid and then combine four Z values at each level into one Z value at the next coarser level (column 5, lines 51-59). A depth buffer 502 (hierarchical image depth buffer) is divided into four levels of granularity or resolution designated 504, 506, 508 and 510. In the finest granularity level 504 said depth buffer has a depth value corresponding to each of the display cells (pixels) 204 (column 5, lines 51-59; column 10, lines 8-27; Fig. 5, Fig. 5A). Each depth element 512 (data item) can contain both Z-max (farthest depth value) elements and Z-min (nearest depth value) elements (see column 11, lines 4-12).

13. In regards to claim 2 Greene et al. teaches in step 608 the depth buffer 502 is initialized by writing the farther depth value permitted into all Z-max elements 512. It is inherent that when initializing a depth (Z) buffer, which stores both Z-min and Z-max values, that said Z-min and Z-max values for a respective display cell of a given display area (comprised of a plethora of display cells), would both be initialized to background pixel depth values. Thus, once a primitive is displayed on said display area and covers a portion of the background pixels, said remaining background pixels used to initialize said Z-min and Z-max values would represent a subset of the plurality of corresponding pixels of said display area.

14. In regards to claim 5 Greene et al. teaches an 8x8 display buffer (column 9, lines 12; Fig. 3), thus comprising 64 display cells 204. Levels 506, 508 and 510 of said depth

buffer 502 are comprised of sixteen depth elements 512, four depth elements 512 and one depth element 512, respectively. Each single depth element 512 in level 506 represents four depth elements 512 from level 504, each single depth element 512 in level 508 represents sixteen depth elements 512 from level 504 and the single depth element 512 in level 510 represents all sixty-four depth elements 512 from level 504, which also is the size of said display buffer (column 10, lines 8-7, column 9, lines 1-3; Fig. 5-6). Thus, it is noted that depth buffer 502 at levels 506, 508 and 510 is considered substantially less than the size of said display buffer.

15. In regards to claim 6 Greene et al. teaches an 8x8 display buffer (column 9, lines 12; Fig. 3), thus comprising 64 display cells 204. Levels 508 and 510 of said depth buffer 502 are comprised of four depth elements 512 and one depth element 512, respectively. Each single depth element 512 in level 508 represents sixteen depth elements 512 from level 504 and the single depth element 512 in level 510 represents all sixty-four depth elements 512 from level 504, which also is the size of said display buffer (column 10, lines 8-7, column 9, lines 1-3; Fig. 5-6). Thus, it is noted that said depth buffer 502 at levels 508 and 510 is considered less than one-fourth the size of said display buffer.

16. In regards to claim 7 Greene et al. teaches an 8x8 display buffer (column 9, lines 12; Fig. 3), thus comprising 64 display cells 204. Level 508 of said depth buffer 502 is comprised of four depth elements 512. Each single depth element 512 in level 508 represents (corresponds to) sixteen depth elements 512 from level 504, which also is the size of said display buffer (column 10, lines 8-7, column 9, lines 1-3; Fig. 5-6).

Art Unit: 2671

17. In regards to claim 8 Greene et al. teaches that in order to use the Z-pyramid to test (detect) the visibility of a polygon, the finest-level sample of the pyramid whose corresponding image region covers the screen-space bounding box of the polygon is found. If the nearest Z value of the polygon is farther away than the sample (data entry) in the Z-pyramid, the polygon is entirely hidden (column 5, lines 65-67, column 6, lines 1-8).

18. In regards to claim 10 the rationale disclosed in the rejection of claim 1 is incorporated herein. Green et al. teaches a "prove primitive hidden" routine 1706 (Fig. 18; Fig. 20). In step 1802 the finest granularity depth element in depth buffer 502, which fully covers the primitive, is determined. In step 1802 the level of the said depth element is noted and in step 1804 the depth of the nearest point (pixel) in the primitive (object to be rendered) is determined. Said determinations and a reference to said primitive are passed to a recursive procedure 1808. Recursive procedure 1808 establishes a visibility determination for said primitive, in respect to said nearest point, via comparison between data stored in said depth buffer 502 and the parameters passed to said recursive procedure 1808 (column 16, lines 61-67, column 17, lines 1-67, column 18, lines 1-8).

19. In regards to claim 11 Greene et al. teaches if a primitive fails to be found hidden in step 2002 said primitive is scan converted to determine the display cells (surface cells) it covers. Each surface cell is rendered if it is visible relative to objects which have previously been written. This visibility check is performed by comparing the depth of the current surface cell to the depth values currently in the depth buffer 502 at the

finest level for the corresponding display cell (column 18, lines 56-67, column 19, lines 1-12).

20. In regards to claim 12 Greene et al. teaches that if said display cell is not hidden then the color or other attributes of said current surface cell are written into the display buffer (frame buffer) of the corresponding display cell (column 19, lines 13-20).

21. In regards to claim 13 Greene et al. teaches if said primitive is proven to be definitely hidden, as per routine 1706, then routine 1610 returns (step 2004) without rendering anything (column 18, lines 56-61). Thus, it is noted that said nearest point of said primitive is considered discarded.

22. In regards to claim 14 the rationale disclosed in the rejection of claim 13 is incorporated herein.

23. In regards to claim 15 Greene et al. teaches updating the depth buffer 502 (steps 2020 and 2022) in regards to a Z-max and Z-min element (column 19, lines 21-37; Fig. 20).

24. In regards to claim 18 the rationale disclosed in the rejection of claim 10 is incorporated herein. Greene et al. teaches the surface primitive 206 is represented in memory as being in a specific location in a 3D model space and its appearance on the display 114 represents a projection of the 3D primitive 206 onto the 2D "image-space" of the display area 202 (column 8, lines 56-62).

25. In regards to claim 19 the rationale disclosed in the rejection of claim 10 is incorporated herein.

26. In regards to claim 21 the rationale disclosed in the rejection of claim 2 is incorporated herein. It is noted that said remaining subset of pixels is considered to comprise an image representative of a background.

27. In regards to claim 23 Greene et al. teaches a "front" panel in Fig. 21 which displays an orthographic view of a box and a polyhedron (column 24, lines 34-37; Fig. 21). It is noted that an isolated area for rendering including part or whole of said box (first object), polyhedron (second object) and background (third object) is considered to contain a first, second and third pixel from a larger set of pixels corresponding to said box, polyhedron and background, respectively.

28. In regards to claim 24 the rationale disclosed in the rejection of claim 1 is incorporated herein.

29. In regards to claim 32 the rationale disclosed in the rejection of claim 1 is incorporated herein. It is noted that granularity level 508 and 506 are considered a second and first level hierarchical image depth buffer, respectively.

Claim Rejections - 35 USC § 103

30. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

31. Claims 3, 16-17 and 26 are rejected under 35 U.S.C. 103(a) as being unpatentable over Greene et al. (U.S. Patent No. 5, 579, 455), as applied to claims 1-2,

5-8, 10-15, 18-19, 21, 23-24 and 32, in view of Dawson (U.S. Patent No. 6, 567, 099 B1).

32. In regards to claim 3 Greene et al. fails to explicitly teach the hierarchical image depth buffer further comprises at least one flag. Dawson teaches that a standard Z-buffer has a certain amount of memory set aside to store data for each pixel, wherein said data includes a color triplet, a Z-distance value and some bit flags (column 6, lines 34-43).

It would have been obvious to one skilled in the art, at the time of the applicant's invention, to incorporate various elements of a standard Z-buffer, such as bit flags, into a buffer which is based upon a Z-buffer, such as a depth buffer 502 as taught by Greene et al., because said depth buffer is built upon the properties of a Z-buffer and thus by adding bit flags to said depth buffer would provide additional information on the presence or absence of data for given data entries, in said depth buffer, thus allowing for the storage of additional information.

33. In regards to claim 16 Greene et al. fails to explicitly teach the data items include a flag and a step of checking a status of the flag. The rationale disclosed in the rejection of claim 3, in regards to the data items including a flag, is incorporated herein. Dawson teaches the said bit flags (their status) are used to determine various pixel properties (column 7, lines 21-26).

34. In regards to claim 17 Greene et al. fails to explicitly teach the data items include a flag and a step of updating a status of a flag. The rationale disclosed in the rejection

Art Unit: 2671

of claim 3, in regards to the data items including a flag, is incorporated herein. Dawson teaches updating said bit flags (column 7, lines 27-35).

35. In regards to claim 26 Green et. al teaches a multi-leveled depth buffer, wherein the finest granularity level (third level) of said depth buffer has a depth value corresponding to each of the display cells (column 5, lines 51-59; column 10, lines 8-27). The rationale disclosed in the rejection of claim 3 is incorporated herein.

36. In regards to claim 27 Greene et al. fails to explicitly teach initialization flags are cleared when the image depth buffer is initialized to a constant value. It is extremely well known to initialize (clear) all variables in a given system by assigning them to a default value, typically zero or false, whenever a given system is initialized to a given state (official notice; see MPEP § 2144).

Thus, it would have been obvious to one skilled in the art, at the time of the applicant's invention, to utilize such an initialization means for the clearing of flags, because it is a conventional means by which to clear flags, such as those taught by Dawson, in a given system and allows for a given system state to be reestablished.

37. Claims 4, 20 and 25 are rejected under 35 U.S.C. 103(a) as being unpatentable over Greene et al. (U.S. Patent No. 5, 579, 455), as applied to claims 1-2, 5-8, 10-15, 18-19, 21, 23-24 and 32.

38. In regards to claim 4 Greene et al. teaches a surface primitive 206 covers a portion of seven of the display cells 204 (column 8, lines 56-66; Fig. 2). Greene et al. fails to explicitly teach that the data items value within the hierarchical image depth

Art Unit: 2671

buffer that identify the nearest depth value and farthest depth correspond to a set of foreground pixels.

It would have been obvious to one skill in the art, at the time of the applicant's invention, that if a surface primitive covers a pixel or group of pixels completely, in a given display area, the respective Z-min and Z-max values for said covered pixel(s) are determined by the surface primitive (foreground pixels), because for a given completely covered pixel there would be no visible background and thus only one depth value.

39. In regards to claim 20 the rationale disclosed in the rejection of claim 4 is incorporated herein. It is noted that said surface primitive 206 covering a portion of display cells is considered a first foreground object.

40. In regards to claim 25 the rationale disclosed in the rejection of claim 20 is incorporated herein.

41. Claim 9 is rejected under 35 U.S.C. 103(a) as being unpatentable over Greene et al. (U.S. Patent No. 5, 579, 455), as applied to claims 1-2, 5-8, 10-15, 18-19, 21, 23-24 and 32, in view of Greene (U.S. Patent No. 6, 636, 215 B1).

42. In regards to claim 9 Greene et al. (U.S. Patent No. 5, 579, 455) teaches a central processor (CPU) 102, graphics coprocessor 110 and a memory 104 (Fig 1.). Green et al. fails to explicitly teach a memory controller, where a graphics processor is coupled to said memory controller and responsive to the central processor (CPU). Green (U.S. Patent No. 6, 636, 215 B1) teaches a host processor (CPU) 110, memory controller 3314, which manages access to the host memory 114 by a number of potential masters including the host processor 110 and the AGP bus 3310, host

Art Unit: 2671

memory 3312 and graphics system 100, which includes a graphics processor 3316.

Said graphics processor 3316 is connected to said memory controller 3314 via a AGP bus 3310 (Fig. 33).

It would have been obvious to one skilled in the art, at the time of the applicant's invention, to incorporate a memory controller, for the management of accessing host memory, as taught by Greene, into the system as taught by Greene et al., because it would have been conventional to implement a memory controller, in a system which utilizes memory, to serve as an arbiter for the transfer of data in memory between the various components of a given system.

Conclusion


Any inquiry concerning this communication or earlier communications from the examiner should be directed to Peter-Anthony Pappas whose telephone number is 703-305-8984. The examiner can normally be reached on M-F 9:30am-7pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mark Zimmerman can be reached on 703-305-9798. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Peter-Anthony Pappas
Examiner
Art Unit 2671

PAP


MARK ZIMMERMAN
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2600